



Request for Quotation (RFQ)

JFT/RFP/2026/190

Date:06/05/2026

To :
Dear Concern

Subject: RFQ for Sports Materials.

Dear Vendor,

JAAGO Foundation Trust (JFT) is seeking eligible, qualified suppliers to provide their best price quote for the item(s) below: If interested, the quotation must be submitted on company letterhead and signed by an authorized individual.

Please refer to the Terms and Conditions below in preparing your quote.

- o Please acknowledge receipt of this request by signing the vendor conflict of interest certification below and indicate intention to quote.
- o No telephone calls will be accepted and any questions regarding this RFQ must be submitted in writing prior to the deadline. Questions and answers considered to be material to this quotation may be shared by JFT with all other offerors.

Thank you.

Md. Himel | Asst. Manager, Administration Department

Good Specifications

SL	Description/Specifications: (Insert additional rows or pages if needed)	UoM	Quantity:
1	<p>Surfing Board Long Size: 8-Foot Long Materials: Fiberglass/ Epoxy Typical 8-Foot Epoxy Longboard Specifications: Length: 8'0" (243.8 cm) Width: 22" – 22.5" (55.9 cm – 57.1 cm) Thickness: 2.75" – 3" (7.0 cm – 7.6 cm) Volume: Approximately 57.5L – 61.3L (Standard) Construction: EPS (Expanded Polystyrene) Foam Core + Fiberglass Cloth + Epoxy Resin Fin System: Usually 2+1 (One 7"-8" center box fin + two FCS/Futures side bites) or Thruster setup Weight: Approximately 11.5 lbs (lightweight compared to polyurethane) Rider Weight Capacity: Generally supports riders up to 250 lbs (113 kg)</p>	Pcs	6
2	<p>Swimming Cap 100 Mesh Small Key Specifications: Size: Small (S) - generally fits a head circumference of 53–56 cm. Material: Mesh/Fabric (typically 100% Polyester or Elastane/Nylon blend). Type: 100 series (Basic/Entry-level). Colour options: Often black, pink, or printed patterns.</p>	Pcs	25
3	<p>Swimming Goggles Key Specifications: Dimensions: Length 6.49" and Height 1.57". Lens Features: Mirrored polycarbonate lenses with anti-fog coating and UV protection. Design: Soft TPR frame with hypoallergenic silicone comfort seals and an adjustable nose bridge. Strap: Silicone headstrap with an ergonomic adjustable clip. Colors: Often available in Black, Blue, and Pink.</p>	Pcs	25



4	<p>Kick Board Key Specifications: Dimensions: 16.5 x 11.4 inches (approx. 42 x 29 cm), providing a good surface area for stability while remaining portable. Material: High-density EVA (Ethylene Vinyl Acetate) foam. This material is known for being lightweight, durable, water-resistant, and comfortable against the skin. Design: Typically features ergonomic grip handles or contoured shapes to allow swimmers to comfortably isolate their legs and improve kicking form.</p>	Pcs	20
5	<p>Rescue Board Key Specifications: Item: Professional Epoxy Rescue Board Size: 10-Foot Long (approx. 300–320 cm / 10'6") Material: High-Density EPS Core with Fiberglass/Epoxy Laminate Construction: Lightweight EPS Foam core coated in fiberglass and epoxy resin, often featuring carbon fiber reinforcement for enhanced strength and responsiveness. Handles: Equipped with multiple (approx. 7) neoprene or durable rubber handles for securing victims and easy carrying by lifeguards. Deck: Features soft EVA foam kneepads to protect the rescuer's knees and improve comfort during paddling. Fins: Generally comes with a removable or high-strength fixed box-style fin for better steering. Safety Features: Often includes a waterproof breather valve to prevent delamination due to heat/pressure changes.</p>	Pcs	3
6	<p>Rescue Tube Key Specifications: Length: 2 Feet 5 Inches (~73-76 cm/30-inch models are common in this size range) Material: NBR/Nitrile Butadiene Rubber foam (durable, closed-cell, water-resistant) or EVA foam Features: High-visibility color (typically red), towing strap, and shoulder harness included. High-vis vinyl coating</p>	Pcs	18
7	<p>First Aid Bag (Complete Set) – Contents - Scissors (Medical Grade) - Antiseptic Solution (Savlon / Povidone-Iodine) - Alcohol Prep Pads - Cotton / Sterile Gauze Pads Adhesive Bandage (Plasters / Color Band) Elastic Bandage (Crepe Bandage) Triangular Bandage Tourniquet Disposable Gloves Adhesive Medical Tape Instant Cold Pack CPR Face Shield / Pocket Mask</p>	Package	1
8	<p>Wax Key Specifications: Weight: 80g / 80ml Type: Hair Styling Wax / Matte Clay (Long-lasting, no grease) Summer Specification: Formulated to prevent melting and maintain strong hold during high humidity/sweat.</p>	Pcs	25



9	<p>Leash Key Specifications: Sizes: 6-Foot Long: 12 Pcs 7-Foot Long: 13 Pcs Material: Generally TPU (Thermoplastic Polyurethane) high-elasticity polyurethane rope. Swivel System: Usually stainless steel or copper double rotation system to prevent tangling. Cuff: Padded neoprene ankle strap for comfort.</p>	Pcs	25
10	<p>Football (Deer Football A Black And White - N532A) Key Specifications: Brand: Deer Model: N532A / N532V (often listed together) Size: Official Size 5 (suitable for professional or casual play) Color: Classic Black and White Material: Premium Polyurethane (PU) Leather/Synthetic Features: Durable, good control, suitable for all types of matches</p>	Pcs	10
11	<p>Beach Volleyball Mikasa - Standard Size 5 with Net Key Specifications: Model Options: Commonly VXS-01, BV550C, or Beach Classic VXL20. Size: Official Size 5 (Circumference: 66–68 cm). Material: Soft, durable synthetic leather (PU) or PVC. Construction: Stitched (10-panel or 18-panel design). Beach Features: Water-resistant and designed for excellent grip/control in sand conditions. Weight: 260–280 g (standard beach weight). Net Size: Standard 960cm x 100cm (approx. 32ft x 3ft) volleyball net, often polyethylene or nylon, suitable for outdoor/beach use. Material: Often durable, weather-resistant nylon/polyethylene for the net and soft synthetic leather for the ball, suitable for beach conditions.</p>	Pcs	2
12	<p>Marker Cone (L- Size) Key Specifications: Size: Available in 12-inch (approx. 30cm) for large size marker cones. Material: Durable, flexible plastic, suitable for soccer, football, and agility training. Usage: Suitable for football training, soccer, and other sports to mark boundaries or set up obstacle courses. Shape: Typically available as saucer cones (discs) or cone-shaped markers (traffic-style)</p>	Pcs	20
13	<p>Football Cone Key Specifications: Material: PE (Polyethylene), a durable and flexible plastic that can withstand being stepped on during training. Dimensions: Height of 5 cm and a base width (diameter) of 19.5 cm. Colors: Usually available in high-visibility colors, including Blue, Red, Orange, Yellow, and Green.</p>	Pcs	50



14	<p>Football Marker Key Specifications: Material: Durable, flexible, and lightweight Plastic (often PE). Weight: Approximately 120g per set of 6-25 pieces, with individual cones being highly lightweight (often under 20g-30g each) to ensure safety and stability. Dimensions (Approximate): Height: 5 cm (approx. 2 inches). Width/Diameter: 19.5 cm - 20 cm (approx. 7.5 - 8 inches). Design: Saucer-style, stackable for easy storage and transport. Colors: Generally multi-color packs (yellow, red, blue, green, orange) to ensure high visibility on pitch surfaces.</p>	Pcs	20
15	<p>Training hurdle Key Specifications: Material: PE Size Chart: Length: 44cm/17.32inch Width: 22cm/8.66inch</p>	Pcs	12
16	<p>Speed ladder Material: PP nylon rope. Color: Yellow. Size: 7m Package include: 1* Agility ladder. 1* storage bag.</p>	Pcs	1
17	<p>Sports Referee Whistle Material: high-impact ABS plastic Color: Multicolor</p>	Pcs	4
18	<p>Goalkeeper Gloves Set It is made of a thin, supple, tacky, water-resistant leather-like material (thickness range 0.008 to 0.025 inches)</p>	Pcs	4
19	<p>Ball Pumper (Stable and Durable: Aluminum barrel with ergonomically designed comfortable handle)</p>	Pcs	2
20	<p>Yoga mat E-Co Friendly 8mm Gym Yoga Mat- Sports & Fitness</p>	Pcs	32
21	<p>Chairs Outdoor Portable Folding Chair With Storage Bag Foldable Car Outdoor Chair Lightweight Bearing Strong Ride Comfort Camping Gear</p>	Pcs	2
22	<p>Projector Android Projector LED 4K Decoding Portable Projector Video Full HD 1080P WIFI 3D MINI Home Theater Cinema</p>	Pcs	1
23	<p>White Board/Writing Board 24/36 inch used for duster and Markers</p>	Pcs	3
24	<p>Manikin (Adult) for CPR Training (non digital half body)</p>	Pcs	1



25	<p>Training Signage: Key Specification: Height: 15 feet (~4.5 meters) is a standard residential and light commercial height. Material: Stainless Steel (304/316): Best for durability and aesthetics. Aluminum: Lightweight and wind-resistant. Thickness: Typically ranges from 2.5mm to 3.0mm for, with similar standard gauges for 15-foot versions to ensure structural integrity. Branding: Safety message printed clearly with organizational logo.</p>	Pcs	2
26	<p>Weekly Lifesaving Training T-shirts Key Specification: Fabric Composition: 100% Polyester fabric, which is comfortable for water activity and quick dry. Color: Blue, with logo and safety message printed.</p>	Pcs	20
27	<p>Lifeguard Volunteer Uniform T-shirts (Male) Key Specification: Fabric Composition: 100% Polyester fabric, which is comfortable for water activity and quick dry. Color: Yellow, with logo and safety message printed.</p>	Pcs	20
28	<p>Lifeguard Volunteer Shorts (Male) Key Specification: Fabric Composition: 100% polyester (interlock or micro-fiber) for durability and resistance to chlorine and saltwater. Quick-Dry Technology: Enables rapid water shedding to prevent sagging and skin irritation during active duty. Color: Red, with logo and safety message printed.</p>	Pcs	20
29	<p>Lifeguard Tower Installation and Maintenance : Stainless Steel 10 feet high chair where 2 lifeguards can sit and continue the proper supervision of the 20-50 meter away swimmers and Lifeguard tower often gets join breakdown and need to take at the workshop to do SS welding for fixing 1) 2 Feet Box Shape SS Pipe = 60 Feet. 2) 1 Feet Round Shape SS Pipe = 80 Feet 3) 20 MM SS Sheet = 4 Feet/ 8 Feet</p>	Pcs	1
30	<p>Martial Art Helmet-24 Pcs Size: Small-8, Medium-8, XL-8 Colour:Red-12pc,Blue-12pc</p>	Pcs	24
31	<p>Martial Art Bodyguard Size: Small-8, Medium-8, XL-8 Colour:Red-12pc,Blue-12pc</p>	Pcs	24
32	<p>Martial Art Gloves-24 Set Size: Small-8, Medium-8, XL-8 Colour:Red-12pc,Blue-12pc</p>	Pcs	24
33	<p>Martial Art Groin Guard-24 Pcs Size: Small-8, Medium-8, XL-8 Colour:Red-12pc,Blue-12pc</p>	Pcs	24
34	<p>Martial Art Teeth Guard-24 Pcs Size: Small-8, Medium-8, XL-8 Colour:Red-12pc,Blue-12pc</p>	Pcs	24
35	<p>Martial Art Dress: (Shirt and Pants with Blog/ Logo) Size: Small-8, Medium-8, XL-8</p>	Pcs	24



36	<p>Skate Shoes 38-3Pair 35-1Pair 36-1Pair 37-1Pair 39-1Pair 40-1Pair 41-1Pair 42-1pair</p> <p>Key Specifications:</p> <ul style="list-style-type: none"> • Material: Durable suede and canvas uppers. • Color: Blue / Navy Blue. • Sole: Signature vulcanized rubber waffle outsole for superior grip. • Design: Low-top lace-up with leather side stripe. • Durability: Re-enforced toecaps to withstand wear. • Comfort: Padded collars for support and flexibility. • Origin: Often made in Vietnam 	Pcs	10
37	<p>Swimming Costume for Female (Leggings, Surfing Shorts, Rashguard without Jeep, Under Garments) Size: Short 10 Pcs and Medium 10 Pcs</p>	Pcs	45
38	<p>Swimming Costume (Leggings, Surfing Shorts, Rashguard without Jeep, Under Garments) Boys: T-Shirt & Shorts (10 Small, 10 Medium)</p>	Pcs	20

Note:

- The quotation must clearly mention the brand name and country of origin for each item.
- All costs, including delivery charges, labor costs, and any other expenses, must be stated explicitly. No hidden charges will be accepted.
- Product warranty and guarantee terms must be clearly specified.
- A definite delivery timeline must be mentioned in the quotation.

Vendor Eligibility Requirements	<p>This RFQ is open to commercial and non-governmental businesses, registered in Bangladesh, capable of providing and delivering the products, and with a solid record of integrity and business ethics.</p> <p>Note: JFT will not award a contract to any firm that is debarred, suspended, or proposed for debarment, or who proposes to do business with firms or firms' principals who are debarred, suspended, or proposed for debarment, in the performance of the requirement of this activity.</p>
Contractual Mechanism and Payment Terms:	<p>JFT will issue a Purchase Order to the vendor.</p> <p>Following JFT's acceptance of the goods or services, the payment will be made within 30 days of the receipt of an invoice.</p> <p>Payment will only be issued to the Vendor identified in the Work Order/ Professional Service Contract; payment will not be issued to a third party or an individual.</p>
Delivery Instructions:	<p>The Supplies Item should be delivered by 08/6/2026 at Cox's Bazar.</p>
Quote must include the following:	<p><u>Quote Details:</u> Detailed description of the quoted items; Information on delivery cost, method, date, Detailed information on any insurance and/or warranties offered by the vendor; Quotation in BDT mentioning VAT & tax, excise and other duties or taxes;</p>



Quote Validity Requirements

JFT Procurement

Request for Quotation (RFQ)

	<u>Company Details:</u> Copy of valid Company Trade license, Bin certificate (VAT Registration), TIN Certificate,
Evaluation Criteria:	Quotes will be evaluated based on meeting specifications, qualifications and experience of the vendor, price, after sale service, delivery time and related criteria. JFT will select the offer featuring the Lowest Priced Meeting Specifications

Submission of Quotes

Submission Deadline:	The quote must be submitted to JFT no later than 17/05/2026 before 6:00 pm .
Submission Method:	Quote can be submitted hard copy or electronically, or both. Hard Copy: submit quote on company letterhead duly signed and stamped by an authorized individual and delivered to the JFT Office addressed to the Assistant Manager - Procurement, JAAGO Foundation Trust , House-57, Road- 7/B, Block-H, Banani, Dhaka-1213, JAAGO Foundation Trust, Bangladesh Country Office. Electronically: Sign, stamp, scan and send the quote as an attachment in PDF format to procurement. JFT@jaago.com.bd.
Duration of Quote:	All quotes submitted must be valid for 90 days from the Submission Deadline specified below. This includes, but is not limited to, cost, pricing, terms and conditions, service levels, and all other information. If your firm is selected, all information in the RFQ and negotiation process is contractually binding and may be accepted by JFT without further negotiation.

Terms and Conditions

1. Issuance of this RFQ does not constitute an award commitment on the part of the JFT, nor does it commit JFT to pay for costs incurred in the preparation and submission of a bid.
2. Attachments to this RFQ are considered integral to all requirements.
3. JFT may contact bidders to confirm contact person, address, bid amount and to confirm that the bid was submitted for this solicitation.
4. False Statements in the Bid: Bidders must provide full, accurate and complete information as required by this solicitation and its attachments.
5. Conflict of Interest Disclosure: Bidders must provide disclosure of any past, present or future relationships with any parties associated with the issuance, review or management of this solicitation and anticipated award. Failure to provide full and open disclosure may result in JFT having to re-evaluate selection of a potential Bidder.
6. Right to Select/Reject: JFT reserves the right to select and negotiate with those firms it determines, in its sole discretion, to be qualified for competitive quotes and to terminate negotiations without incurring any liability. JFT also reserves the right to reject any or all quotes received without explanation.
7. Reserved Rights: RFQ responses become the property of JFT. JFT reserves the right in its sole discretion:

To disqualify any offer based on Bidder's failure to follow solicitation instructions;

To waive any deviations by Bidder from the requirements of this solicitation that in JFT's opinion are considered not to be material defects requiring rejection or disqualification; or where such a waiver will promote increased competition

To extend the time for submission of all RFQ responses;

To terminate or modify the RFQ process at any time and re-issue the RFQ;

To issue an award based on the initial evaluation of offers without discussion;

To award partial goods/activities; and/or issue multiple awards.

Vendor Conflict of Interest (COI) Certification & Confirmation of Intent to Bid

JFT's Code of Conduct and Ethics Policy requires full and open disclosure when dealing with procurement. JFT employees must avoid any COI or the appearance of a COI, must provide full disclosure of their actions or relationships with prospective vendors, contractors, or consultants, and shall not solicit, request, accept, or agree to accept any gift from a vendor or prospective vendor. Vendor agrees to either: 1) disclose any such Cols; or 2) affirm to the best of its knowledge, information and belief, that no JFT employee, nor any person associated with any JFT employee, is an employee, director, officer, consultant to/of, or has any financial interest, direct or indirect, in the Vendor's organization, or has received or will receive any financial benefit, directly or indirectly, from the award of a contract through this solicitation. For the purpose of this certification, "associated" persons



include but not limited to: a spouse, domestic partner, child, parent, or sibling, in-law, nephew, niece, extended family member. A materially false statement made in connection with this certification and/or failure to conduct appropriate due diligence in verifying the information that is the subject matter of this certification may result in rendering the vendor non-responsive for the purpose of this award. Vendor is encouraged to disclose any connection to any JFT employee that could create an appearance of conflict of interest, regardless of whether it meets the listed definitions above.

By signing below, Vendor confirms no known COIs exist, or Vendor has disclosed any COIs in writing (please attach disclosure separately); and acknowledges receipt of this RFQ, thereby confirming intent to submit a bid in accordance with the RFQ requirements.

By Vendor.

Name (print):	
Title:	
Signature:	
Date:	