

REQUEST FOR QUOTATION (RFQ)

Issue Date: May 21, 2026

Subject: Request for Quotation (RFQ) for Medical Supply.

Dear Offerors,

Greetings from Jhpiego!

Jhpiego Bangladesh is hereby inviting quotations for medical equipment/accessories supply with delivery. When preparing your quotation, please be guided by this RFQ instructions and data. Please note that quotations must be submitted Annex 1: Financial Proposal, by the method and by the date and time indicated. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Deadline for the Submission of Quotation June 09, 2026, on or before 05:00 PM (Bangladesh time)

Thank you and we look forward to receiving your quotations.

Issued by:

Jhpiego Bangladesh Authority

RFQ INSTRUCTIONS

Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by Jhpiego. This RFQ is conducted in accordance with the Jhpiego Policies and Procedures.</p> <p>Any bid submitted will be regarded as an offer by the bidder and does not constitute or imply the acceptance of the bid by Jhpiego. Jhpiego is under no obligation to award a contract to any bidder because of this RFQ.</p> <p>Jhpiego reserves the right to cancel the procurement process at any stage without any liability of any kind for Jhpiego.</p>
Deadline for the Submission of Quotation	09 2026 on or before 05:00 PM (Bangladesh time)
Method of Submission	Hard copy will be drop in Tender Box: Jhpiego Bangladesh, Country Office – Address: Plot 10, Level: 10, Road No. 90, Gulshan-02, Dhaka- 1212
Cost of preparation of quotation	Jhpiego shall not be responsible for any costs associated with a Supplier’s preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code of Conduct, Fraud, Corruption,	Jhpiego strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of the vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation.
Gifts and Hospitality	Bidders or vendors shall not offer gifts or hospitality of any kind to Jhpiego staff members, including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners, or similar event
Conflict of Interest	Jhpiego requires every prospective supplier to avoid and prevent conflicts of interest, by disclosing to Jhpiego if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
General Conditions of Contract	Any purchase order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract.
Special Conditions of Contract	Cancellation of PO/Contract if the delivery is delayed.
Eligibility	<p>A vendor who will be engaged by Jhpiego may not be suspended, debarred, or otherwise identified as ineligible by any international organization. Vendors are therefore required to disclose to Jhpiego whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in the termination of any contract or PO subsequently issued to the vendor by Jhpiego.</p> <p>It is the bidder’s responsibility to ensure that its employees, joint venture</p>

	<p>members, sub-contractors, service providers, suppliers, and/or their employees meet the eligibility requirements as established by Jhpiego.</p> <p>Bidders must have the legal capacity to enter into a binding contract with Jhpiego and to deliver in the country or through an authorized representative [amend in case of other eligibility requirements].</p>
<p>Important Note</p>	<p>The provided list outlines the key documentation and evidence required to ensure the regulatory compliance and quality assurance of a pharmaceutical product from a vendor or supplier. Here is a summarized overview of each point:</p> <ol style="list-style-type: none"> 1. Documentation of the product regulatory status in country and of stringent regulatory body approval. 2. Documentation of compliance with Good Storage and Distribution Practices (GSDP). A certificate or audit report demonstrating compliance to GDSP is requested. Alternatively, evidence of supplier registration with a key regulatory Government agency responsible for ensuring the safety, quality, and efficacy of pharmaceutical products used by humans may be considered. 3. Essential product information, including brand of product, the manufacturer’s SKU, storage conditions, and instructions for use. 4. Confirmation that the vendor can and will provide full product traceability documentation. A certificate of analysis shall be available for each product lot procured. 5. Certificate of Registration Quality Management System ISO 13485:2016 or memo explaining why it is not applicable. 6. Evidence of compliance with regulatory oversight by stringent regulatory bodies such as US FDA Clearance or certificate of compliance with EU MDR regulations, or other modes of stringent review of regulatory and quality requirements. 7. Documentation of a quality-assurance risk management plan that demonstrates the supplier’s ability to identify, assess, and mitigate potential risks associated with the pharmaceutical’s performance, safety, and regulatory compliance. This should include a documented framework outlining risk categorization, control measures, and post-market surveillance strategies. The quality assurance risk management plan should also demonstrate adherence to quality standards and conform to international regulatory expectations such as those outlined by ISO 14971, the U.S. Food and Drug Administration (USFDA), or the European Union Medical Device Regulations (EU MDR).
<p>Currency of Quotation</p>	<p>Quotations shall be quoted in BDT.</p>
<p>Language of quotation</p>	<p>English - Including documentation including catalogs, instructions, and operating manuals.</p>

Documents to be submitted	<p>The bidders shall include the following documents in their quotation:</p> <ul style="list-style-type: none"> -The technical and financial offer is duly completed and signed on company official pad. -Company Profile: not more than 10 pages -Updated registration certificate (Trade License, BIN, TIN along with Tax return) copy. -Sample copy of at least 3 purchase orders or work orders for delivering similar kinds of medicine and the contact details of clients. Client’s contact details: who may be contacted for further information on those contracts or POs? Jhpiego reserves the right to conduct reference checks with previous clients. -Authorized certification of dealerships or distribution. -Certificate from the manufacturer, only in case applicable. -A guarantee or warranty should be provided with the product. -Experience working with INGO/UN agencies, NGO/corporate houses, or the government. -Last one years' financial statement/latest bank solvency certificate.
Quotation validity period	Quotations shall remain valid for 60 days from the deadline for the submission of a quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
Partial Quotes	Not Permitted
Alternative Quotes	Not Permitted
Payment Terms	Payment will be made within 30 days after receipt of goods, works, and/or services and submission of payment documentation.
Conditions for Release of Payment	<p>-Written Acceptance of Goods, Services, and Works, based on full compliance with RFQ requirements.</p> <p>Others: Payment will be released upon clearance from the requester/ project and the contact administrator.</p>
Contact email for proposal submission related correspondence, notifications and clarifications	E-mail address: BD-Procurement@jhpigo.org
Clarifications	<p>Requests for clarification against the RFQ from bidders will not be accepted any later than June 08, 2026, within 02:00 PM before the submission deadline.</p> <p>The vendor must mention “Query against medicine” in the subject line and send it to following email</p> <ol style="list-style-type: none"> 1. Email: tamanna.eshika@jhpigo.org Contact Number: 01754544117 2. Email: bijov.sarker@jhpigo.org Contact Number: 01712829891 <p>Responses to requests for clarification will be communicated by May 30, 2026.</p>
Tender Opening Schedule Date & Time	Please be informed that the tender opening is scheduled for 10 June 2026 at 12:00 PM. If any organization is interested in attending the tender opening, kindly contact us at 01719111736. In case of any change in the date or time schedule, we will notify you accordingly.

Evaluation method	The contract or purchase order will be awarded to the lowest-priced, substantially compliant offer.	
Evaluation criteria	<p style="text-align: center;"><u>Criterion</u></p> <ul style="list-style-type: none"> • Price • Regulatory Compliance • Product Quality & Certification • Delivery Lead Time • Supplier Reputation & Past Performance 	<p style="text-align: center;"><u>Weight (%)</u></p> <ul style="list-style-type: none"> • 35% • 20% • 25% • 10% • 10%
Right not to accept any quotation	Jhpiego is not bound to accept any quotation or award a contract or purchase order.	
Right to vary requirement at time of award	At the time of awarding a contract or purchase order, the Jhpiego Bangladesh country office reserves the right to vary (increase or decrease) the quantity of services and/or goods by up to a maximum of 25 percent (25%) of the total offer without any change in the unit price or other terms and conditions.	
Type of Contract to be awarded	Purchase Order	
Expected date for contract award.	14th June 2026	

ANNEX – 1: BRAND DESCRIPTION WITH FINANCIAL PROPOSAL

Currency of the Quotation: BDT					
Item No	Description	Unit	Qty	Unit Price (Including VAT & Tax)	Total Price (Including VAT & Tax)
1	<p>Height/Length Measuring Scale – Wooden (Child/Infant, Foldable Type)</p> <p>Key Specifications:</p> <ul style="list-style-type: none"> - Measurement Range: 0 to 120 cm - Graduation: Millimetres (mm) - Materials: Made of sturdy hardwood with a water-resistant finish to withstand rough field conditions. All parts are glued and screwed down. <p>Components:</p> <ul style="list-style-type: none"> - Main baseboard - Collapsible extension piece - Sliding cursor piece (head or foot positioning) - Adjustable shoulder strap for portability <p>Packaging Unit: Supplied as a set of 2 boards per carton (in a box)</p> <p>Origin/Catalog: UNICEF Supply Division catalog code S0114530</p>	Nos	95		
2	<p>MUAC Measuring Tape (Adult, non-color coded)</p> <p>Type: Mid Upper Arm Circumference (MUAC) Measuring Tape for Adult Use</p> <p>Material: Flexible, waterproof, durable, and non-tear stretch-resistant polypropylene material suitable for field and humanitarian use</p> <p>Measurement Unit: Centimeter (cm) and millimeter (mm)</p> <p>Measuring Range: Typically up to 50–60 cm</p> <p>Graduation: Clearly marked in millimeters (mm) with 1 mm precision</p> <p>Accuracy: ± 1 mm of the maximum measurement (50-60 cm)</p> <p>Color Coding: Without color coding (black print on White tape)</p> <p>With three incisions to facilitate tape insertion and fixation, including one wider result window.</p> <p>Double sided, featuring user instructions in English/ Bangla (tape method) one the reverse side.</p> <p>Country of Origin: Taiwan or equivalent</p> <p>Quality Requirement: Reusable, washable, and suitable for routine nutritional screening and emergency field operations</p> <p>UNICEF Product Catalog Code: S0145630</p>	Nos	450		

<p>3</p>	<p>MUAC Measuring Tape (Child 6-59 months)</p> <p>Type: Mid Upper Arm Circumference (MUAC) Measuring Tape (3 colors) for children 6-59 months</p> <p>Material: Flexible, washable, and non-stretchable, tear resistant polypropylene</p> <p>Measurement Unit: Milimeter (mm) and Centimeter (cm)</p> <p>Measuring Range: Up to 26.5 cm</p> <p>Graduation: 1 mm accuracy</p> <p>Color Coding:</p> <p>0 – 11.5 cm: Red (Pantone code 1795 C)</p> <p>11.5 – 12.5 cm: Yellow (Pantone code 107 C)</p> <p>12.5 – 26.5 cm: Green (Pantone code 369 C) (±0.1cm)</p> <p>Minimum thickness: 0.3 mm</p> <p>With three incisions to facilitate tape insertion and fixation (weaving), including place indicator with the red arrows for measurement reading.</p> <p>Incision windows: 2mm wide and 1.8 cm high</p> <p>Double sides, featuring user instructions (tape method) on the reverse side.</p> <p>Country of Origin: Taiwan or equivalent</p> <p>Quality Requirement: Durable, reusable, and suitable for routine pediatric nutritional assessment</p> <p>Unicef catalog code: S0145620</p>	<p>Nos</p>	<p>3000</p>		
<p>4</p>	<p>Electronic Weighing Scale (Adult/Child)</p> <p>Type: Electronic weighing scale suitable for both adult and child use</p> <p>Country of Origin: Germany or equivalent</p> <p>Brand: BEURER or equivalent brand</p> <p>Maximum Capacity: Up to 200 kg</p> <p>Accuracy: 100 gm</p> <p>Display: Illuminated XXL digital display</p> <p>Platform: Standing surface made of minimum 8 mm safety glass</p> <p>Technology: Quick Start switch-on technology</p> <p>Design: Closed underside for enhanced durability and hygiene</p> <p>Certification: Must have valid CE and ISO certification</p> <p>Warranty: Minimum 03 (three) years replacement warranty</p>	<p>Nos</p>	<p>59</p>		
<p>5</p>	<p>Electronic Infant/Child Weighing Scale with Infant Tray</p> <p>Country of Origin: Germany or equivalent</p> <p>Brand: BEURER or equivalent approved brand</p> <p>Type: Electronic weighing scale suitable for infant and child use</p>	<p>Nos</p>	<p>59</p>		

	<p>Capacity: Minimum 20 kg</p> <p>Accuracy: High precision measurement suitable for infant and pediatric assessment</p> <p>Tray: Integrated infant tray for safe and comfortable positioning</p> <p>Display: Digital LCD display with clear weight indication</p> <p>Function: Hold function for accurate weight recording of moving infants/children</p> <p>Material: Durable, easy-to-clean body and tray</p> <p>Safety Features: Non-slip base/feet for stability during use</p> <p>Power Supply: Battery and/or AC powered</p> <p>Certification: Must have valid CE and ISO certification</p> <p>Warranty: Minimum 03 (three) years replacement warranty</p>				
6	<p>Bag Valve Mask (BVM) for Newborns</p> <p>Type: Bag Valve Mask (BVM) for neonatal/newborn resuscitation</p> <p>Capacity: 200–320 ml</p> <p>Brand: SHINE BALL or equivalent brand</p> <p>Country of Origin: Taiwan or equivalent</p> <p>-Suitable for newborn and neonatal resuscitation</p> <p>-Transparent neonatal face mask for easy patient observation</p> <p>-Soft, anatomically designed mask to ensure proper seal and patient comfort</p> <p>Self-inflating resuscitation bag with pressure relief valve for patient safety</p> <p>-Oxygen reservoir compatibility for supplemental oxygen delivery</p> <p>-Must have valid CE or ISO certification</p> <p>Product must comply with international medical device quality standards</p> <p>Warranty: Minimum 01 (one) year against manufacturing defects</p>	Nos	177		
7	<p>Blood Pressure Cuff (Reusable)</p> <p>Brand: BEURER, OMRON or equivalent</p> <p>Country of Origin: Germany or Japan or Equivalent</p> <p>Certification: Must have CE certification</p>	Nos	118		
8	<p>Digital Blood Pressure Monitor with Upper Arm Cuff</p> <p>Type: Fully automatic upper arm blood pressure monitor</p> <p>Country of Origin: Germany, Japan, or equivalent</p> <p>Warranty: Minimum 03 (three) years replacement warranty</p> <p>Certification: Must have valid CE and ISO certification</p> <p>Fully automatic blood pressure and pulse measurement on the upper arm</p>	Set	118		

	<p>Universal cuff suitable for upper arm circumferences from 22 cm to 42 cm</p> <p>Includes small and standard adult cuff</p> <p>Patented resting indicator for reliable measurement accuracy</p> <p>Integrated cuff position control for correct cuff placement</p> <p>Average calculation of all saved measured values</p> <p>Large and easy-to-read display</p> <p>Memory capacity: Minimum 4 × 30 memory spaces</p> <p>Risk indicator based on standard blood pressure classification</p> <p>Arrhythmia detection function</p> <p>Two adjustable alarm/reminder times</p> <p>Date and time display</p> <p>Automatic switch-off function</p> <p>Incorrect usage message indicator</p> <p>Low battery indicator</p> <p>Carrying case included</p> <p>Power Supply: AA batteries included</p> <p>Medical device suitable for clinical and field use</p>				
9	<p>Infant/Child CPAP Nasal Mask with Headgear</p> <p>Type: CPAP nasal mask for infant/child use</p> <p>Size: Size-4 / appropriate infant size as specified</p> <p>Available Sizes:</p> <p>#13451 – Extra Small for Infant</p> <p>#13452 – Small for Infant</p> <p>#13453 – Medium for Infant</p> <p>#13454 – Large for Infant</p> <p>Quantity: 1 Each</p> <p>Country of Origin: Taiwan or equivalent</p> <p>Material Specifications:</p> <p>Connector: Polycarbonate (PC)</p> <p>Cushion/Seal: Medical-grade Silicone</p> <p>Tube: Polypropylene (PP)</p> <p>Headgear: Nylon</p>	Set	125		
10	<p>Feeding Tube, Nasogastric, CH 8, 50 cm, Sterile, 150 Each</p> <p>Brand: JMI or equivalent</p> <p>Origin: Bangladesh or equivalent</p>	Nos	1854		
11	<p>Glucometer</p> <p>Country of Origin: Taiwan, or UK, or equivalent</p> <p>Brand: Bionime, or Freestyle, or equivalent</p>	Nos	128		

	<p>Certification: CE and ISO</p> <p>Accuracy Requirements:</p> <p>For glucose concentrations below 5.5 mmol/L (100 mg/dL), 95% of measured glucose values must fall within ± 0.83 mmol/L (15 mg/dL) of the reference measurements.</p> <p>For glucose concentrations equal to or above 5.5 mmol/L (100 mg/dL), 95% of measured glucose values must fall within $\pm 15\%$ of the reference measurements.</p> <p>Precision Requirements:</p> <p>For glucose concentrations below 5.5 mmol/L (100 mg/dL), Standard Deviation (SD) must be less than 0.28 mmol/L (5 mg/dL).</p> <p>For glucose concentrations equal to or above 5.5 mmol/L (100 mg/dL), Coefficient of Variation (CV) must be less than 5%.</p> <p>Blood Glucose Testing Time: 5 seconds</p> <p>Blood Ketone Testing Time: 10 seconds</p> <p>MEMORY CAPACITY: Up to 1,000 readings.</p> <p>Step-by-step setup guide 25 test strips Free Style Optium Neo meter Carry case 10 Lancets Lancing device USB cable</p> <p>Included Strips: 10 strips</p>				
12	<p>Infrared Thermometer, Handheld, Body Temperature Range</p> <p>Type: Handheld infrared thermometer for body temperature measurement</p> <p>Brand: BEURER or equivalent</p> <p>Country of Origin: Germany or equivalent</p> <p>Warranty: Minimum 03 (three) years replacement warranty</p> <p>Certification: Must have valid ISO and EC certification</p> <p>Non-contact infrared temperature measurement technology</p> <p>Suitable for measurement of:</p> <p>Body temperature</p> <p>Ambient temperature</p> <p>Surface temperature</p> <p>Hygienic and safe measurement without skin contact</p> <p>Fast measurement within seconds</p> <p>Measuring distance: Approximately 2–3 cm</p> <p>Display of measurements in both $^{\circ}\text{C}$ and $^{\circ}\text{F}$</p> <p>Easy-to-read blue illuminated XL display</p> <p>Sound control function (On/Off)</p> <p>Optional acoustic signal when measurement is complete</p> <p>Memory capacity: 60 body temperature records</p>	Nos	197		

	<p>Automatic switch-off function Medical device suitable for clinical and field use Supplied with storage/protective box</p>				
13	<p>Laryngoscope, Neonatal, Battery Operated</p> <p>Type: Neonatal laryngoscope set with integrated light source Brand: Hilbro or equivalent brand Country of Origin: Pakistan or equivalent</p> <p>Technical Features: Suitable for neonatal airway examination and endotracheal intubation Handle Size: Approximately 19 mm handle with knurled grip design Blade Type: Macintosh curved and/or neonatal compatible blades Illumination: Integrated LED/Fiber optic light source for clear visibility Material: Surgical-grade stainless steel Battery Operated: Replaceable battery system Sterilization: Autoclavable and reusable components Lightweight and ergonomic design suitable for neonatal use Secure blade locking mechanism Packaging: Supplied in hard carrying/storage case with handle and compatible neonatal blades</p> <p>Certification & Quality Requirements: Must have valid CE and ISO 13485 certification Product must comply with international medical device quality standards Suitable for hospital, NICU, emergency, and clinical use</p>	Nos	33		
14	<p>Lifebox Pulse oximeter</p> <p>Type: Fingertip pulse oximeter Brand: BEURER or equivalent approved brand Country of Origin: Germany or equivalent Warranty: Minimum 03 (three) years replacement warranty Certification: Must have valid CE and ISO certification</p> <p>Technical Features: Measurement of: Arterial oxygen saturation (SpO2) Heart rate/pulse rate Perfusion Index (PI) Clinically validated accuracy suitable for home and clinical use</p>	Nos	128		

	<p>Suitable for checking and regular monitoring of oxygen saturation</p> <p>Applicable for patients with respiratory and cardiac conditions including:</p> <p>Asthma</p> <p>COPD</p> <p>COVID-19 and long COVID</p> <p>Other lung diseases</p> <p>Heart failure</p> <p>Suitable for sports and high-altitude activities</p> <p>Color display with minimum 4 display views</p> <p>Adjustable display brightness</p> <p>Graphic pulse display/bar indicator</p> <p>Symbol indication for inaccurate measurement</p> <p>Compact, lightweight, and portable design</p> <p>Automatic switch-off function</p> <p>Low battery indicator</p> <p>Supplied with strap and belt pouch/carrying case</p>				
15	<p>Oxygen Cylinder Stand, Fits H, T and M Size Cylinders</p> <p>BRAND: ASL or Equivalent</p> <p>Materials: Iron, Rubber Wheel</p> <p>SIZE : STANDARD</p> <p>Origin: BANGLADESH or Equivalent</p>	Nos	148		
16	<p>Pulse Oximeter - BISTOS BT-710 Oximeter (NEST360 Qualified)</p> <p>Type: Fingertip pulse oximeter</p> <p>Model: BT-710 Oximeter (NEST360 Qualified) or equivalent</p> <p>Brand: BEURER or equivalent approved brand</p> <p>Country of Origin: Germany or equivalent</p> <p>Technical Features:</p> <p>Measurement of arterial oxygen saturation (SpO2) and heart rate/pulse frequency</p> <p>Simple, non-invasive, and pain-free measurement</p> <p>Compact, lightweight, and portable design suitable for home and field use</p> <p>Suitable for sports activities at high altitudes, including mountaineering, skiing, and aviation sports</p> <p>Easy-to-read color display</p> <p>Display with minimum 6 viewing modes</p> <p>Adjustable display brightness</p> <p>Graphical pulse display/bar graph</p> <p>Low battery indicator</p> <p>Automatic switch-off function</p>	Nos	59		

	<p>Supplied with retaining strap and belt pouch/carrying case Power Supply: 2 × AAA batteries included Medical-grade device suitable for clinical and home monitoring</p> <p>Certification & Quality Requirements: Must have valid CE and ISO certification Product must comply with international medical device quality standards Warranty: Minimum 03 (three) years replacement warranty</p>				
<p>17</p>	<p>Pulse Oximeter Finger Probe, Infant, Soft Tip, Nellcor Compatible</p> <p>Type: Infant pulse oximeter finger probe/sensor Compatibility: 7-Pin Nellcor compatible Probe Type: Soft-tip reusable infant sensor Cable Length: Approximately 1 meter Suitable For: Infant and pediatric SpO2 monitoring Country of Origin: Korea or equivalent</p> <p>Technical Features: Compatible with Pulse Oximeter Model BT-710 or equivalent monitor Designed for monitoring: Oxygen saturation (SpO2) Pulse rate Perfusion Index (PI) Soft-tip sensor design for infant comfort and secure fit Accurate and stable signal detection for neonatal and pediatric patients Reusable medical-grade sensor suitable for clinical use Compatible Monitor Specifications (BT-710 or Equivalent): 4.3-inch touchscreen color display Suitable for adult, pediatric, and infant monitoring Visual and audible alarm/warning system Adjustable alarm limits for SpO2, pulse rate, and perfusion index Waveform display capability Rechargeable lithium-ion battery with minimum 8 hours continuous operation SpO2 measurement range: 0–100% Perfusion Index range: 0.05–20% Pulse rate range: 25–250 bpm SD card slot for data storage (SD card optional)</p>	<p>Nos</p>	<p>59</p>		

	<p>Certification & Quality Requirements: Must have valid CE and ISO certification</p> <p>Product must comply with international medical device quality standards</p> <p>Warranty: Minimum 01 (one) year against manufacturing defects</p>				
<p>18</p>	<p>Pulse Oximeter Finger Probe, Neonatal, Wrap Type</p> <p>Type: Neonatal pulse oximeter finger/foot probe, wrap type</p> <p>Compatibility: 7-Pin Nellcor compatible</p> <p>Probe Type: Soft-tip wrap sensor for neonatal use</p> <p>Cable Length: Approximately 1 meter</p> <p>Brand: BEURER or equivalent approved brand</p> <p>Country of Origin: Germany or equivalent</p> <p>Technical Features:</p> <p>Designed for neonatal monitoring of:</p> <p>Arterial oxygen saturation (SpO₂)</p> <p>Heart rate/pulse frequency</p> <p>Soft wrap-type sensor for gentle and secure neonatal application</p> <p>Non-invasive and pain-free measurement</p> <p>Accurate and stable signal detection suitable for neonatal patients</p> <p>Lightweight and compact design suitable for hospital and field use</p> <p>Easy-to-read color display compatibility</p> <p>Display with multiple viewing modes (minimum 6 views)</p> <p>Adjustable display brightness</p> <p>Graphical pulse display/bar graph</p> <p>Low battery indicator on compatible monitor/device</p> <p>Automatic switch-off function on compatible monitor/device</p> <p>Supplied with retaining strap and belt pouch/carrying case as applicable</p> <p>Power Supply: Compatible device may operate with AAA batteries or rechargeable battery system</p> <p>Quality Requirements: Medical-grade reusable sensor suitable for NICU, hospital, and clinical use</p> <p>Latex-free patient contact materials</p> <p>Easy to clean and disinfect</p> <p>Must have valid CE and ISO certification</p> <p>Warranty: Minimum 01 (one) year against manufacturing defects</p>	<p>Nos</p>	<p>59</p>		

<p>19</p>	<p>Pulse Oximeter Finger Probe, Pediatric, for X10 Monitor</p> <p>Type: Pediatric pulse oximeter finger probe/sensor Compatibility: Compatible with X10 Monitor Brand: Bistos or equivalent Country of Origin: Korea</p> <p>Technical Features: Designed for pediatric monitoring of: Arterial oxygen saturation (SpO2) Pulse rate/heart rate Soft-tip sensor suitable for pediatric patients Accurate and stable signal detection for continuous monitoring Compatible with Bistos X10 patient monitor or equivalent system Reusable medical-grade sensor suitable for hospital and clinical use Durable cable and connector for long-term use Latex-free patient contact materials Easy to clean and disinfect Lightweight and ergonomic design for patient comfort</p> <p>Certification & Quality Requirements: Must have valid CE or ISO certification Product must comply with international medical device quality standards Warranty: Minimum 01 (one) year</p>	<p>Nos</p>	<p>59</p>		
<p>20</p>	<p>Reusable Suction Device (Penguin Type) Fluid capacity: 75 ml Weight: 0.058 kg SIZE: 13.3 x 5.22 x 4.95 cm Operating Temperature Range: 0 to +50 Degree Celsius Steam Autoclaving: 136 Degree Celsius Material: Plastic ORIGIN : TAIWAN</p>	<p>Nos</p>	<p>175</p>		
<p>21</p>	<p>Vital Sign Monitor (Pulse/Blood Pressure/SpO2)</p> <p>Type: Vital sign monitor for Pulse Rate, Blood Pressure (NIBP), and SpO2 monitoring Suitable For: Pediatric, Adult, and Obese patients Brand: Bistos or equivalent Country of Origin: Korea or equivalent Certification: Valid KFDA or CE certification Warranty: Minimum 01 (one) year</p>	<p>Nos</p>	<p>20</p>		

	<p>Technical Features:</p> <p>4.3-inch Color TFT Touch Screen LCD display</p> <p>Measurement Parameters:</p> <p>SpO2 (Oxygen Saturation)</p> <p>Pulse Rate (PR)</p> <p>Non-invasive Blood Pressure (NIBP)</p> <p>SpO2 Measurement Range: 0%–100%</p> <p>Pulse Rate Measurement Range: 25–250 bpm</p> <p>Rechargeable Li-ion battery with minimum 8 hours runtime</p> <p>Power Supply: AC 100–240V, 50Hz</p> <p>Adjustable visual and audible alarm system</p> <p>Real-time waveform display</p> <p>Suitable for continuous monitoring in hospital and clinical settings</p> <p>Portable and compact design</p> <p>Standard Accessories:</p> <p>Adult SpO2 Sensor × 2</p> <p>NIBP Cuffs (Pediatric, Adult, and Obese sizes)</p> <p>Power Cord × 1</p> <p>Operation Manual × 1</p> <p>Quality Requirements:</p> <p>Medical-grade device compliant with international medical device standards</p> <p>Suitable for hospital, emergency, and clinical use</p>				
22	<p>Voltage Stabilizer, Electronic (2 kVA)</p> <p>Type: Electronic voltage stabilizer</p> <p>Capacity: 2 kVA</p> <p>Country of origin: Bangladesh or equivalent</p> <p>Input Voltage Range: Suitable for fluctuating mains power supply</p> <p>Output Voltage: Stable regulated output for sensitive electronic and medical equipment</p> <p>Display: LED/LCD status indicator for input/output voltage and operational status</p> <p>Efficiency: High efficiency with low power loss</p> <p>Cooling System: Automatic cooling/ventilation system</p> <p>Mounting Type: Floor-standing or wall-mountable as applicable</p> <p>Application: Suitable for medical, laboratory, and sensitive electronic equipment</p> <p>Warranty: Minimum 01 (one) year</p>	Nos	29		

23	<p>ARI timer Brand: Generic/UNICEF Standard or equivalent Warranty: 01 Year Certification: ISO 13485 / CE marked</p> <p>Technical Specification: Measure Time: Fixed 60 Seconds Accuracy: ± 0.1 Second Operation: Single push button activation Alarm: Audible beep at start and end of cycle Indicator: Flashing LED during counting Power Source: Battery operated Battery Life: Minimum 10,000 cycles Accessories: Neck cord/lanyard included Use: Respiratory rate counting for under-five children in IMCI corner</p>	Nos	128		
24	<p>Stethoscope Brand: LITTMAN, 3M or equivalent Origin: USA or equivalent Certification: ISO 13485+ USFDA Warranty: 1 year minimum</p>	Nos	128		
25	<p>Thermometer Brand: NEVUS or equivalent Origin: SINGAPORE or equivalent Warranty: 01 Year Certification: ISO 13485</p> <p>Technical specification: Measure Time: 60S Graduation: ± 0.2 (± 0.1C) Range of Measurement: (95.9-107.6) F</p>	Nos	205		
Total Amount (Including All Applicable Costs)					
<p>Special Note:</p> <ul style="list-style-type: none"> As part of the selection process, the initially selected vendor will provide a sample of each item. If the medicine submitted samples meet the quality standards and are approved by the Jhpiego technical team, the order will proceed to the next step in the ordering process. The price of the product must include the delivery cost in the proposal. Basically, delivery cost should not be mentioned separately. 					

Delivery Requirement	
Delivery Date	The bidder shall deliver the Medical equipment/accessories as specified in the Purchase Order mentioned date.
Delivery Address Note: Jhpiego Bangladesh will provide contact details after vendor selection.	Civil Surgeon's Office 1) Netrokona, 2) Sherpur, 3) Jamalpur, 4) Panchagarh 5) Lalmonirhat, 6) Nilphamari, 7) Patuakhali, 8) Barguna and 9) Pirojpur

Company Profile:

Item Description	Detail
Legal name of bidder:	
Legal Address, City, Country:	
Website:	
Year of Registration:	
Legal Structure:	
Bank Information:	Bank Name: Bank Account Name: Bank Account Number: Branch Address: Routing Number

Previous relevant experience: 3 contracts				
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/we have read and fully understand the RFQ, including the RFQ Information and Data, the Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the bidder agrees to be bound by them.
		I/we confirm that the bidder has the necessary capacity, capability, and licenses to fully meet or exceed the requirements and will be available to deliver throughout the relevant contract period.
		Ethics: In submitting this quote, I/we warrant that the bidder: has not entered into any improper, illegal, collusive, or anti-competitive arrangements with any competitor; has not directly or indirectly approached any representative of the buyer (other than the point of contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence or provide any form of personal inducement, reward, or benefit to any representative of the buyer.
		Conflict of interest: I/we warrant that the bidder has no actual, potential, or perceived conflict of interest in submitting this quote or entering into a contract to deliver the requirements. Where a conflict of interest arises during the RFQ process, the bidder will report it immediately to the procuring organization's point of contact.
		Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		Offer Validity Period: I/we confirm that this quote, including the price, remains open for acceptance for offer validity.
		I/we understand and recognize that you are not bound to accept any quotation you receive, and we certify that the goods offered in our quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants, and agrees that he or she has been authorized by the organization(s) to make this declaration on their behalf.

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in the event that the quotation is accepted.	
<p>Exact name and address of company</p> <p>Company Name:</p> <p>Address:</p> <p>Phone No.:</p> <p>Email Address:</p>	<p>Authorized Signature:</p> <hr/> <p>Date:</p> <p>Name:</p> <p>Functional Title of Authorized:</p> <p>Email Address:</p>

GENERAL TERMS AND CONDITIONS

THE EXECUTION OF ALL OR PART OF THIS PURCHASE ORDER IS SUBJECT TO THE FOLLOWING CONDITIONS UNLESS OTHERWISE STATED IN WRITING

1. The following standard terms and conditions of purchase shall apply to all offers and quotations for the procurement and purchase of goods and/or services made by or provided to Jhpiego Corporation (hereafter referred to as Jhpiego) from any person, firm, or company to whom the purchase order is addressed ('the vendor'). Goods and services shall include, but are not limited to, materials, fabricated or finished goods, packaging, containers, services, systems, labor, and all other items subject to this purchase order.
2. All purchases by Jhpiego are expressly limited and conditional upon acceptance of these 'Terms and Conditions', which shall prevail over any other existing written or oral commitment between the parties. Any variation to these terms and conditions shall have no effect unless expressly accepted in writing and signed by Jhpiego's authorized representative.
3. **Goods and Services shall:**
 - I. Conform in every respect to quality, samples, patterns, quantity, description, or other specifications provided, stated, implied, or referred to in this purchase order.
 - II. Be fit for the purpose specified either expressly or by implication in this purchase order.
 - III. Conform to all applicable regulations, standards, and specifications for the country where the goods and services are received or supplied.
 - IV. Be free from defects in material and workmanship.
4. The time of delivery shall be of essence, and failure to deliver or complete delivery within the prescribed time shall entitle Jhpiego, at its sole discretion, to terminate the contract and reject the goods already delivered at the vendor's costs, expenses, and risk. Demurrage or other incidental expenses incurred owing to the vendor not complying with Jhpiego's instructions will be in the vendor's account.
5. Goods and services shall remain at the risk of the vendor until formal acceptance by Jhpiego.
6. The goods shall be duly identified as to description, quality, quantity, and size and shall be accompanied by a delivery note.
7. The vendor guarantees that at the time of delivery thereof, the items provided under this purchase order will be free from any defects in material, design, or workmanship and will conform to the requirements of this purchase order. Jhpiego reserves the right to always inspect and test the goods on the order before, during, or after completion. Such inspection does not relieve the vendor of his or her responsibility for defects in material and/or workmanship. Goods rejected will be returned to the vendor at his or her own expense.
8. The price of goods and services shall be stated on the purchase order and shall include value-added tax and all other taxes and charges payable, which shall be stated separately. Any variation to the agreed price shall be confirmed and accepted in writing by Jhpiego before becoming effective. On no account should a vendor proceed without prior written confirmation from Jhpiego to purchase, provide, and deliver goods or services at a price that is higher than the price stated in the purchase order.

9. If required by donor regulations, Jhpiego will as appropriately withhold payment of VAT.
10. Vendors and service providers, vendors and their agents, workmen, or servants while attending and working on Jhpiego's premises must comply with the instructions and guidelines in the safety and security policy of Jhpiego. Jhpiego will hold vendors and service providers liable for the acts or omissions of their agent's workers or servants that result in losses, injuries, or damages to Jhpiego or any of its staff or other customers.
11. Payments shall be made on or before thirty (30) working days from the date of submission of the invoice and satisfactory acceptance of goods and services, subject to any other payment terms as may be contained in the purchase order. The Purchase Order number must be quoted in all invoices, delivery notes, or any other correspondence relating to this order.
12. The Vendor shall indemnify, protect, and save harmless the Purchaser, its trustees, officers, employees, and agents (1) against any and all liability for damage to property and persons arising out of goods or services provided by the Vendor pursuant to this Purchase Order, (2) against any and all liability to any person or persons for or by reason of any act or omission of the Vendor, its agents, servants, or employees, and (3) against patent or copyright infringement claims or suits arising out of the purchase or use of materials, supplies, equipment, or services covered by this Purchase Order. The vendor shall pay any damages, costs, and expenses, including attorney's fees, in connection with or resulting from claims or suits under this condition of this purchase order.
13. The goods should be satisfactorily packaged to ensure safe transit. The packaging must be of robust construction sufficient to withstand rough handling and have a shelf life.
14. Acceptance of the purchase order evidenced by the signature of the vendor, or its duly authorized representative shall be deemed to be acceptance of these terms and conditions.
15. These standard terms and conditions shall be construed in accordance with the laws of Bangladesh. In the event of any dispute, the matter shall be referred to the chief executives of Jhpiego and the vendor for amicable settlement. In the event no agreement is reached within thirty (30) days, the matter shall be referred to binding arbitration at a mutually agreed-upon neutral site. Each party shall bear its own costs of arbitration, including attorney fees. Rev. May 2017
16. The parties shall maintain the confidentiality of all information herein except for matters already in the public domain or if so compelled by a court of competent jurisdiction.
17. The vendor is notified that U.S. Executive Orders and statutory law prohibit transactions with, and the provision of resources and support to, individuals and organizations associated with terrorism. It is the legal responsibility of the vendor to ensure compliance with these executive orders and laws. Hiring individuals or contracting with organizations on this list is strictly prohibited under the terms of this purchase order.
18. The vendor represents and warrants that it is aware of the requirements of the United States Foreign Corrupt Practices Act (the "FCPA") and will not take any action that could violate the FCPA or expose Jhpiego to liability under the FCPA. Specifically, Vendor represents and warrants that, in connection with this Contract, Vendor, and its owners, officers, directors, employees, representatives or agents, have not provided and will not provide, offer or promise to provide or authorize the provision, directly or indirectly

of, any money, gift, loan, service or anything of value to any government official (or agent, employee or family member thereof), any political party or candidate for political office or position, or any third party, for the purpose of influencing or inducing any act, omission or decision of such government official or candidate, or of the government to obtain or retain business, or direct business to any person, or to secure any improper advantage.

19. The United States government prohibits contractor personnel from engaging in trafficking in persons activities, including severe forms of trafficking in persons, including the recruitment, harboring, transportation, provision, or obtaining of a person for labor or services, through the use of force, fraud, or coercion for the purpose of subjection to involuntary servitude, peonage, debt bondage, or slavery, and sex trafficking. The vendor shall not participate in any trafficking-related activities prohibited by United States law. 48 CFR 52.222-50.

I certify that the above terms and conditions of the Purchase Order from Jhpiego are understood and accepted by me.

Jhpiego Bangladesh Authority